Open Access Article. Published on 18 June 2020. Downloaded on 6/19/2020 8:03:59 AM.

This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence

View Article Online DOI: 10.1039/D0SC02624G

ARTICLE

Received 00th January 20xx, Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

Deciphering the Origin of Million-fold Reactivity Observed for the Open Core Diiron [HO-Fe^{III}-O-Fe^{IV}=O]²⁺ Species Towards C-H Bond Activation: Role of Spin-states, Spin-coupling, and Spin-cooperation

Mursaleem Ansaria, Dhurairajan Senthilnathan*b and Gopalan Rajaraman*a

High-valent metal-oxo species have been characterised as key intermediates in both heme and non-heme enzymes that are found to perform efficient aliphatic hydroxylation, epoxidation, halogenation, and dehydrogenation reactions. Several biomimetic model complexes have been synthesised over the years to mimic both the structure and function of the metalloenzymes. The diamond-core $[Fe_2(\mu-O)_2]$ is one of the celebrated models in this context as this has been proposed as the catalytically active species in soluble methane monooxygenase enzyme (sMMO) which perform the challenging chemical conversion of methane to methanol at ease. In this context, report of an open core $[(HO(L)Fe^{III}-O-Fe^{IV}(O)(L)]^{2+}(1)]$ gains attention as this activates C-H bonds a million-fold faster compared to the diamond-core structure and has the dual catalytic ability to perform hydroxylation as well as desaturation with organic substrates. In this study, we have employed density functional methods to probe the origin of the very high reactivity observed for this complex and also to shed light on how this complex performs efficient hydroxylation and desaturation of alkanes. By modelling fifteen possible spin-state for 1 that could potentially participate in the reaction mechanism, our calculations reveal a doublet ground state for 1 arising from antiferromagnetic coupling between quartet FeIV centre and sextet FeIII centre regulate the reactivity of this species. The unusual stabilisation of high-spin ground state for Fe^{IV}=O is due strong overlap of Fe^{IV} $\sigma^*_z{}^2$ with Fe^{III} π^*_{xz} orbital, reducing the antibonding interactions via spin-cooperation. The electronic structure features computed for 1 is consistent with experiments offering confidence on the methodology chosen. Further, we have probed various mechanistic pathways for the C-H bond activation as well as -OH rebound/desaturation of alkane. An extremely small barrier height computed for the first hydrogen atom abstraction by the terminal Fe^{IV}=O unit found to be responsible for the million-fold activation observed in the experiments. The barrier height computed for -OH rebound by the Fe^{III}-OH unit is also smaller suggesting a facile hydroxylation of organic substrates by 1. A strong spin-cooperation between the two iron centres also reduces the barrier for second hydrogen atom abstraction, thus making the desaturation pathway competitive. Both the spin-state as well as spin-coupling between the two metal centres are playing a crucial role in dictating the reactivity for species 1. By exploring various mechanistic pathways, our study unveils the fact that the bridged μ -oxo group is poor electrophile for both C-H activation as well for -OH rebound. As more and more evidence is gathered in recent years for the open core geometry of sMMO enzymes, the idea of enhancing the reactivity via an open-core motif has far-reaching consequences.

Introduction

High-valent metal-oxo complexes are of great interest due to their potent catalytic abilities. ¹⁻²⁵ Dinuclear metal-oxo complexes have different types of the metal centre, but iron is the most common metal centre to oxidise C-H bonds by dioxygen activation mechanism, in which high-valent oxo-iron species are often postulated and demonstrated to act as the actual oxidising species. ²⁶⁻³³ Membrane-bound methane monooxygenase (MMOs) containing copper are known, ³⁴⁻³⁷ but the longest known MMOs are soluble proteins containing a dinuclear iron active site. ^{27, 38-40} High-valent intermediate Q of soluble methane monooxygenase (sMMO) is a two-electron oxidant that effects the hydroxylation of methane. ⁴¹⁻⁴⁷ For these reasons, complexes based on high-valent iron have been

proved as a compelling tool in the activation of inert C–H bonds, both in biochemical and synthetic oxidation processes.⁴⁸⁻⁵⁰

The active site structure of the sMMO possesses a $[Fe^{\text{IV}}_2(\mu-\text{O}_2)]$ diamond core motif, $^{45,\,51\cdot56}$ and this unit is known to be responsible for activation of inert C-H bonds such as those of methane. 57 This has inspired several groups to utilise both heme, $^{50,\,58\cdot60}$ and non-heme 61 ligand framework to synthesise biomimetic models, which are both structural and functional mimic of the enzyme. 62 Among various reported diiron enzymes that possess diiron(IV) at the active centre, two classes of enzymes clearly emerge with enzymes such as sMMO or ToMO performing hydroxylation of aliphatic and aromatic substrates while enzymes such as $\Delta 9$ desaturase ($\Delta 9$ D) $^{63\cdot65}$ perform

^a Department of Chemistry, Indian Institute of Technology Bombay, Mumbai 400076, India.

b. Center for Computational Chemistry, CRD, PRIST University, Vallam, Thanjavur, Tamilnadu 613403, India

^{c.} Electronic Supplementary Information (ESI) available

Improved Adhesion and Corrosion Resistant Performance of Polyurethane Coatings on Anodized Mg Alloy for Aerospace Applications

V. Jothi, Akeem Yusuf Adesina, Mohammad Mizanur Rahman, A. Madhan Kumar, and J.S. Nirmal Ram

(Submitted October 3, 2019; in revised form January 16, 2020; published online March 31, 2020)

In the current investigation, we targeted to improve the adhesion and corrosion resistant behavior of AZ31 Mg alloy by executing the two-stage treatment; initially by anodization then followed by the deposition of polyurethane (PU) coatings. The impact of the different anodized layers on the adhesion and corrosion protective performance of PU-coated AZ31 Mg substrates was systematically estimated by various characterization techniques. Surface characterization results revealed the influence of silicate content in the anodization bath on the surface microstructure of anodized layers. Surface wettability of Mg substrates after anodization was significantly improved (nearly 25°), confirming the enhanced surface hydrophilicity, possibly due to the higher surface roughness. From the scratch test results, the PU/A75Si coating exhibited the highest adhesion strength with a critical load of 4.8 ± 0.3 , which corresponds to about ten-fold of improvement in comparison to PU/Bare. Corrosion test results confirmed the enhanced corrosion protection behavior of PU/A75Si coatings with higher values of $R_{\rm ct}$ (8.72 × 10⁷ Ω cm²), and $R_{\rm f}$ (1.881 × 10⁷ Ω cm²) with the lowest values of $i_{\rm corr}$ (2.0120 × 10⁻¹⁰ Acm⁻²) compared to that of PU/Bare samples. Based on the attained outcomes, it was concluded that the anodized layer could increase the adhesion between the polyurethane coatings and base substrate, which is the necessary factor in enhancing the corrosion resistant behavior of polyurethane coatings on AZ31 Mg substrates.

Keywords

AZ31 Mg alloy, adhesion strength, corrosion, EIS, polyurethane coating

1. Introduction

Magnesium (Mg) alloys have been broadly employed in aerospace, automobile, defense, and biomedical devices owing to their high stiffness and specific strength, superior machinability, and castability (Ref 1-3). Predominantly, weight reduction by the practice of low-density Mg alloys could save fuel consumption and decreases harmful gas emissions. The main restriction to the utilization of Mg alloys as a structural material is their low corrosion resistance because of their high chemical reactivity of Mg (Ref 4, 5). Hence, an enhancement in corrosion resistant behavior of Mg alloys is of vital prominence and highly desirable prior to their large-scale applications.

One of the most efficient strategies to mitigate corrosion on Mg alloys is to isolate the Mg surface from the aggressive

Electronic supplementary material The online version of this article (https://doi.org/10.1007/s11665-020-04747-4) contains supplementary material, which is available to authorized users.

V. Jothi and J.S. Nirmal Ram, Center for Research and Development, PRIST University, Thanjavur, Tamil Nadu, India; and Akeem Yusuf Adesina, Mohammad Mizanur Rahman, and A. Madhan Kumar, Center of Research Excellence in CORROSION, Research Institute, King Fahd University of Petroleum & Minerals, Dhahran, Saudi Arabia. Contact e-mails: madhankumar@kfupm.edu.sa and nirmal.nram80@gmail.com.

environment by forming a coating layer over the Mg surface (Ref 6, 7). In general, coatings on Mg alloys could be categorized as deposited coatings and conversion coatings. Deposited coatings are comprised of polymeric, metallic, inorganic, and organic coatings, respectively (Ref 8, 9). Formation of conversion coating occurs by the multifaceted interaction of metal dissolution and precipitation, which comprise chemical conversion coatings, anodization, fluoride and alkaline treatments, and silanization (Ref 10, 11). Many researchers have dedicated their efforts in assessing the corrosion protection performance of coated Mg substrates in various harsh environments (Ref 12-14).

Polyurethane (PU) is one of the widely used organic coatings in multipurpose applications. PU usually consists of urethane and urea groups, which can be obtained by reacting mainly polyol, isocyanate, and diamine. The PU coating has high adhesive strength, and anticorrosion properties into metal surface (Ref 15, 16). The PU coating has a good ability to block/reduce the substrate erosion induced by oxygen, water, as well as the corrosive ions (Ref 17, 18). The protective properties tuned by choosing the monomers and their contents. Various siloxane and fluro-based monomers also used to improve the protective properties in marine environments. Although PU coatings have been commercially employed for several decades, the adhesion on the metallic materials is still being enhanced to prolong the performance of PU coatings. In general, adhesion strength is intensely influenced by the chemical interactions between the substrate and polymeric coating, which is further enhanced by adopting appropriate surface pretreatments.

Many research works have been committed to evaluating the exact relation between organic coatings and the pretreated metallic surface in terms of its surface characteristics such as





ISSN 2414-3146

Received 19 March 2021 Accepted 8 April 2021

Edited by R. J. Butcher, Howard University, USA

Keywords: 1-(2,3-dichlorophenyl)piperazinium picrate; crystal structure; supramolecular inter-

CCDC reference: 2076126


Structural data: full structural data are available from jucrdata.jucr.org


4-(2,3-Dichlorophenyl)piperazin-1-ium picrate

Udhayasuriyan Sathya, ^a Jeyaraman Selvaraj Nirmal Ram, ^a* Sundaramoorthy Gomathi, ^b Shyamaladevi Ramu, ^b Samson Jegan Jennifer ^c and Abdul Razak Ibrahim ^d

^aCentre for Research and Development, PRIST Deemed to be University, Thanjavur, 613 403, Tamil Nadu, India, ^bDepartment of Chemistry, Periyar Maniammai Institute of Science and Technology, Thanjavur 613 403, Tamil Nadu, India, ^cX-ray Crystallography Unit, School of Physics, University Sains Malaysia, 11800, USM, Penang, Malaysia, and ^dX-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800, USM, Penang, Malaysia. *Correspondence e-mail: nirmalramjs@gmail.com

The title compound, $C_6H_2N_3O_7^{-1}\cdot C_{10}H_{13}Cl_2N_2^{+1}$, crystallizes with one 1-(2,3-dichloro-phenyl)piperazine (DP) cation and one picrate (PA) anion in the asymmetric unit. In the crystal structure, the DP cation and PA anion are interconnected *via* several N-H···O and C-H···O hydrogen bonds. The DP cation and PA anion are further connected through C-Cl·· π [3.8201 (4), 3.7785 (4) Å] and N-O·· π [3.7814 (4) Å] interactions. The DP cations are further interconnected *via* a weak intermolecular Cl···Cl [3.2613 (4) Å] halogen-halogen interaction. The combination of these supramolecular interactions leads to a herringbone like supramolecular architecture.





Structure description

1-(2,3-Dichlorophenyl)piperazine (DP), a precursor in the synthesis of potent drugs such as aripiperazole (AP) (Oshiro et al., 1998), is used as an antipsychotic drug for the treatment of schizophrenia (Braun et al., 2009; Frank et al., 2007). A survey of the Cambridge Structural Database (CSD version 5.40, updates of May 2019; Groom et al., 2016) shows that there are no reports of salt and co-crystal forms of this compound. We herein report the crystal structure of a new solid form of DP, 1-(2,3-dichloro-phenyl)-piperazinium picrate (1).

The title salt, **1**, crystallizes in the monoclinic $P2_1/n$ space group. The asymmetric unit contains one (DP) cation and one picrate (PA) anion as shown in Fig. 1. In **1**, the pyrazine ring of the cation molecule adopts a chair conformation with N—H and C—H bonds in axial—axial and equatorial—equatorial positions (Singh *et al.*, 2015; Maia *et al.*, 2012).

The protonated DP cation interacts with the neighbouring deprotonated PA anions *via* $N1-H1A\cdots O4^{i}$, $N1-H1B\cdots O2^{ii}$ and $N1-H1B\cdots O7^{ii}$ hydrogen bonds and C2-



TEAM AGREEMENT for RESEARCH PROJECT

Between

Ponnaiyah Ramajayam Institute of Science & Technology (PRIST) Deemed to be University, Thanjavur, Tamil Nadu

AND

VNR Vignana Jyothi Institute of Engineering and Technology

Hyderabad, Telangana

Team Agreement for Research Project

This Teaming Agreement for the Research Project is entered into on the 3rd of November 2020 between

- A. PRIST Deemed to be University, situated at Vallam, Thanjavur, Tamil Nadu, India (hereinafter called as "PRIST")
- B. VNR Vignana Jyothi Institute of Engineering and Technology (VNR VJIET) situated at Bachupally, Hyderabad, Medchal-Malkajgiri District, and Telangana State, India (hereinafter called as "VNR VJIET".

Here onwards, PRIST Deemed to be University and VNR VJIET are collectively referred as "the Parties".

PREAMBLE:

The Parties have jointly submitted Research Project proposal to ISRO under the RESPOND scheme with title 'Estimation and Tracking of Subsurface Groundwater Discharge (SGD) along Coastal Stretches of Andhra Pradesh and Tamil Nadu, based on Understanding (and modelling) of the Coastal Aquifer Hydrodynamics' with separate budget estimated for each institute to achieve the objectives of the Research Project. After several technical reviews of the proposal and the corresponding responses submitted by the Parties, ISRO has sanctioned the above said project.

At the final stage of funding, ISRO being strict in successful completion of the project with fruitful outcomes by the Principal Investigator(s), and, therefore, wanted only any single institute to take full responsibility of the achieving all objectives including handling the complete budget to avoid future complications arise due to budgetary differences among the institutes.

Respecting the rule of ISRO, both institutes mutually agreed, and finally, PRIST received the sanctioned letter on 19th March 2020 for the above said Research Project with funding of Rs. 33, 84, 000/-.

The sanctioned Research Project is originally planned (according to methodology proposed) to develop Hydrodynamic model in two different coastal regions: (i) the Nagapattinam - Velankanni stretch (about 12km in Tamil Nadu) (ii) the adjoining stretch near Bapatla and around Nizampatnam (about 12km in Andhra Pradesh) keeping PRIST is responsible for Tamil Nadu study area and VNR VJIET is responsible for Andhra Pradesh study area.

Team Agreement for Research Project

Therefore, it is now required to establish a 'Team Agreement for carrying out this Research Project' for the successful execution and completion within the stipulated time promised to ISRO while utilizing the sanctioned fund on planned shared basis.

TERMS AND CONDITIONS:

- 1) PRIST will release the fund to VNR VJIET in installment wise as per the requirement of the project.
- 2) Initially, PRIST will release the fund to VNR VJIET upon receiving the request for release of fund based on expected expenses for various activities planned in proposal.
- 3) VNR VJIET need to submit the occurred expenses with due proofs of bills/receipts to PRIST for the received fund previously, then only, PRIST University will release the next installment fund to VNR VJIET upon receiving the request for release of fund based on further expected expenses for various upcoming activities planned in proposal. This procedure will repeat until the end of this entire Research Project.
- 4) The proposed MODFLOW software package can be purchased by PRIST but one password can be given to VNR VJIET for taking care of Hydrodynamic Modelling work at A.P. Coast, simultaneously.
- 5) The obligations of each party to this Agreement are subject to execution and delivery by each other party hereto a Confidential Disclosure Agreement in mutually agreed form relating to the proposal and subsequently the project.
- 6) The appointed Research Fellow for the project will be available at VNR VJIET as the requirement of the project arises, subjected to his/her availability.

DURATION OF AGREEMENT:

This Agreement shall become effective upon the date of execution and shall continue in full force and effect until the end of the Project.

REPRESENTATIVES:

The parties hereby covenant that the respective representative of each party hereof are duly authorized and are in the position to act for and on behalf of their respective institutes.

Representative on behalf of PRIST Deemed to be University:

Dr. Ashutosh Das, Director, CRD.

Representative on behalf of VNR VJIET:

Dr. K. Ravikumar, Associate Professor, Department of Civil Engineering.

IN WITNESS WHEREOF the parties hereto have hereunto set their hands the day and year first above written

For VNR VJIET

By [Name]:

D. A. A. A. A. T. A. J. By [Name]:

D. A. A. A. T. A. J. By [Name]:

Dr. C. D. Naidy

Vice Chancellor

Science & Technology (PRIC)

Vice Chancellor



